

| L Number | Hits | Search Text | DB | Time stamp |
|-------------|------|---|----------------------------------|---------------------|
| 1 | 35 | 310/216-218.ccls. and (core near lamina\$4) same (rotor near7 stator) | USPAT; US-PGPUB | 2003/08/20 16:15 |
| 2 | 4 | 310/216-218.ccls. and (core near lamina\$4) same (rotor near7 armature) | USPAT; US-PGPUB | 2003/08/20 16:14 |
| 3 | 7 | 310/216-218.ccls. and (core near lamina\$4) same (armature near7 stator) | USPAT; US-PGPUB | 2003/08/20 16:13 |
| 4 | 0 | 310/216-218.ccls. and (core near lamina\$4) same (armature near7 stator) | EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 16:13 |
| 5 | 0 | 310/216-218.ccls. and (core near lamina\$4) same (rotor near7 armature) | EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 16:14 |
| 6 | 3 | 310/216-218.ccls. and (core near lamina\$4) same (rotor near7 stator) | EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 16:15 |
| - | 5 | 310/214.ccls. and d@pd<20010927 and generator | EPO; JPO; DERWENT; IBM_TDB | 2002/11/20 15:41 |
| - | 2 | 310/215.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 21:49 |
| - | 7 | H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) | USPAT; US-PGPUB | 2003/08/19 21:57 |
| - | 1 | H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress | USPAT; US-PGPUB | 2002/11/22 13:33 |
| - | 1 | H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress | EPO; JPO; DERWENT; IBM_TDB | 2002/11/20 15:39 |
| - | 0 | 310/214.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) and stress | EPO; JPO; DERWENT; IBM_TDB | 2003/08/15 19:28 |
| - | 0 | 310/215.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) and stress | EPO; JPO; DERWENT; IBM_TDB | 2002/11/20 15:40 |
| - | 0 | 310/214.ccls. and d@pd<20010927 and generator and stress | EPO; JPO; DERWENT; IBM_TDB | 2002/11/20 15:41 |
| - | 2 | 310/214.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) | EPO; JPO; DERWENT; IBM_TDB | 2002/11/21 13:01 |
| - | 30 | 310/214.ccls. and d@pd<20010927 and generator and stress | USPAT; US-PGPUB | 2002/11/22 12:32 |
| - | 5 | ("4594221" "4843271" "4876469" "5030871" "5252877").PN. | USPAT | 2002/11/22 12:33 |
| - | 2 | ("4928382" "5124607").PN. | USPAT | 2002/11/22 12:34 |
| - | 1 | 5459363.URPN. | USPAT | 2002/11/22 12:34 |
| - | 508 | 310/214.ccls. and d@pd<20010927 | USPAT; US-PGPUB | 2003/08/19 21:43 |
| - | 4 | ("3119033" "4298812" "4922147" "5698924").PN. | USPAT | 2002/11/22 12:38 |
| - | 12 | ("1957380" "2506629" "3353046" "3869629" "4015154" "4812695" "4912353" "5498917" "5502341" "5570502" "5722152" "5949171").PN. | USPAT | 2002/11/22 12:40 |
| - | 8 | ("3009073" "3437858" "3780325" "4413405" "4425521" "4427920" "4443725" "4701648").PN. | USPAT | 2002/11/22 13:06 |
| - | 47 | H02K003/48.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) | USPAT; US-PGPUB | 2003/08/19 22:04 |
| - | 1 | H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress | USPAT; US-PGPUB | 2002/11/22 13:35 |

| | | | | |
|---|-----|--|----------------------------------|---------------------|
| - | 9 | H02K003/48.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress | USPAT; US-PGPUB | 2002/11/22 13:34 |
| - | 1 | H02K003/48.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress | EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 13:34 |
| - | 50 | H02K003/48.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) | EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 13:35 |
| - | 1 | 4667125.pn. | USPAT; US-PGPUB | 2002/11/22 17:44 |
| - | 6 | ("1555065" "3243622" "3393335" "3594597" "4333022" "4437765").PN. | USPAT | 2002/11/22 17:43 |
| - | 1 | 5027500.pn. | USPAT; US-PGPUB | 2002/11/22 17:44 |
| - | 1 | 5048177.pn. | USPAT; US-PGPUB | 2002/11/22 17:45 |
| - | 1 | 5075959.pn. | USPAT; US-PGPUB | 2002/11/22 17:47 |
| - | 12 | ("1238911" "1487302" "2424752" "2507981" "2685730" "3888638" "4024632" "4104788" "4476625" "4495692" "4536954" "4594771").PN. | USPAT | 2002/11/22 17:46 |
| - | 1 | 5430340.pn. | USPAT; US-PGPUB | 2002/11/22 17:49 |
| - | 24 | ("2773210" "2922058" "2960360" "3324324" "3408516" "3453587" "3476966" "3614498" "4177398" "4275324" "4316114" "4369389" "4430589" "4439701" "4443722" "4462152" "4482829" "4667125" "4843271" "4876469" "5065059" "5113114" "5118979" "5122698").PN. | USPAT | 2002/11/22 17:47 |
| - | 1 | 6218756.pn. | USPAT; US-PGPUB | 2002/11/22 17:50 |
| - | 5 | ("3976901" "4369389" "4387316" "4469971" "4633116").PN. | USPAT | 2002/11/22 17:49 |
| - | 8 | ("2723358" "3139550" "3665576" "3949255" "4015156" "4149101" "4200818" "4387316").PN. | USPAT | 2002/11/22 17:50 |
| - | 1 | 6279420.pn. | USPAT; US-PGPUB | 2002/11/22 17:50 |
| - | 9 | ("3032318" "3736811" "4098127" "4477226" "4842485" "5018943" "5027873" "5487640" "6053678").PN. | USPAT | 2002/11/22 17:51 |
| - | 0 | 6279420.URPN. | USPAT | 2002/11/22 17:52 |
| - | 508 | 310/214.ccls. | USPAT; US-PGPUB | 2002/11/22 17:52 |
| - | 483 | 310/214.ccls. and @pd<20010927 | USPAT; US-PGPUB | 2002/11/22 17:53 |
| - | 12 | rotor near wedges near(slots or cavity) | USPAT; US-PGPUB | 2002/11/29 00:45 |
| - | 531 | rotor and wedges and (slots or cavity)and (stress or pressure or tension) | USPAT; US-PGPUB | 2002/11/29 00:47 |
| - | 472 | rotor and wedges and (slots or cavity)and (stress or pressure or tension) and @pd<20010927 | USPAT; US-PGPUB | 2002/11/29 00:48 |
| - | 159 | rotor and wedges and (slots or cavity)and (stress or pressure or tension) and (hollow or unfilled or empty or void or depressed) and @pd<20010927 | USPAT; US-PGPUB | 2002/11/29 01:07 |
| - | 1 | rotor and wedges and (slots or cavity)and (stress or pressure or tension) and (hollow or unfilled or empty or void or depressed) and @pd<20010927 | EPO; JPO; DERWENT; IBM_TDB | 2002/11/29 01:08 |
| - | 2 | 310/183.ccls.and rotor and (stress or pressure) | EPO; JPO; DERWENT; IBM_TDB | 2002/11/29 01:09 |
| - | 7 | 310/183.ccls.and rotor and (stress or pressure) | USPAT; US-PGPUB | 2002/11/29 01:10 |

| | | | | |
|---|-----|---|-----------|------------|
| - | 0 | H02K003/16. ipc. and rotor and stress | USPAT; | 2002/11/29 |
| - | 0 | H02K003/16. ipc. and rotor | US-PGPUB | 01:11 |
| - | 17 | H02K003/16.ipc. and rotor | USPAT; | 2002/11/29 |
| - | 1 | 1227414.pn. | US-PGPUB | 01:11 |
| - | 1 | 4827597.pn. | USPAT; | 2003/08/02 |
| - | 154 | 310/214.ccls. and d@pd<20010927 and generator | US-PGPUB | 14:10 |
| - | 0 | 1227414.URPN. | USPAT; | 2003/08/02 |
| - | 8 | ("3009073" "3437858" "3780325" "4413405" "4425521" "4427920" "4443725" "4701648").PN. | US-PGPUB | 14:10 |
| - | 0 | 20020121830.URPN. | USPAT; | 2003/08/15 |
| - | 5 | 5122698.URPN. | USPAT | 18:04 |
| - | 15 | ("2922056" "3408516" "3476966" "3780325" "3976901" "4117362" "4217515" "4282450" "4333027" "4369389" "4432135" "4454439" "4469971" "4642503" "4876469").PN. | USPAT | 2003/08/15 |
| - | 122 | 310/214.ccls. and @pd<20010927 and generator | USPAT | 16:24 |
| - | 5 | 310/214.ccls. and @pd<20010927 and generator | USPAT | 16:25 |
| - | 2 | 310/215.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) | USPAT | 2003/08/15 |
| - | 28 | 310/215.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) | USPAT | 17:15 |
| - | 54 | H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) | USPAT | 2003/08/15 |
| - | 0 | 11004553.URPN. | USPAT | 17:44 |
| - | 0 | 310/214.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) and stress | USPAT | 2003/08/15 |
| - | 17 | 310/214.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) and stress | USPAT | 17:45 |
| - | 870 | rotor and wedges and (slots or cavity) | USPAT; | 2003/08/15 |
| - | 395 | 310/\$.ccls. and rotor and generator and wedge | US-PGPUB | 18:23 |
| - | 395 | 310/\$.ccls. and rotor and generator and (wedge or (angular adj support)) | EPO; JPO; | 2003/08/15 |
| - | 483 | 310/214.ccls. and @pd<20010927 | DERWENT; | 18:24 |
| - | 2 | 310/215.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) | IBM_TDB | 2003/08/15 |
| - | 23 | 310/215.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) | EPO; JPO; | 18:25 |
| - | 44 | 310/215.ccls. and @pd<20010927 and generator | DERWENT; | 2003/08/15 |
| - | 12 | ("3119033" "3413499" "3748506" "3821568" "3997803" "4016442" "4203044" "4251745" "4383191" "4508985" "4547688" "4634910").PN. | IBM_TDB | 18:26 |
| - | 6 | 4900956.URPN. | USPAT; | 2003/08/15 |
| - | | | EPO | 18:35 |
| - | | | EPO; JPO; | 2003/08/15 |
| - | | | DERWENT; | 18:43 |
| - | | | IBM_TDB | 2003/08/15 |
| - | | | USPAT | 18:35 |
| - | | | EPO; JPO; | 2003/08/15 |
| - | | | DERWENT; | 19:29 |
| - | | | IBM_TDB | 2003/08/15 |
| - | | | USPAT; | 19:29 |
| - | | | US-PGPUB | 19:29 |
| - | | | USPAT; | 2003/08/15 |
| - | | | US-PGPUB | 20:10 |
| - | | | USPAT; | 2003/08/15 |
| - | | | US-PGPUB | 20:11 |
| - | | | USPAT; | 2003/08/15 |
| - | | | US-PGPUB | 20:12 |
| - | | | USPAT; | 2003/08/19 |
| - | | | US-PGPUB | 22:07 |
| - | | | EPO; JPO; | 2003/08/19 |
| - | | | DERWENT; | 21:50 |
| - | | | IBM_TDB | 2003/08/19 |
| - | | | USPAT; | 21:52 |
| - | | | US-PGPUB | 21:52 |
| - | | | USPAT; | 2003/08/19 |
| - | | | US-PGPUB | 21:57 |
| - | | | USPAT | 2003/08/19 |
| - | | | USPAT | 21:54 |
| - | | | USPAT | 2003/08/19 |
| - | | | USPAT | 21:55 |

| | | | | |
|---|-------|---|----------------------------------|---------------------|
| - | 4 | 310/215.ccls. and @pd<20010927 and generator | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 21:57 |
| - | 8 | H02K003/487.ipc. and generator | USPAT; US-PGPUB | 2003/08/19 21:58 |
| - | 85 | H02K003/487.ipc. and generator | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 21:58 |
| - | 74 | H02K003/48.ipc. and generator | USPAT; US-PGPUB | 2003/08/19 22:07 |
| - | 141 | H02K003/48.ipc. and generator | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:07 |
| - | 706 | 310/216.ccls. and @pd<20010927 | USPAT; US-PGPUB | 2003/08/19 22:07 |
| - | 133 | 310/216.ccls. and @pd<20010927 and generator | USPAT; US-PGPUB | 2003/08/19 22:08 |
| - | 5 | 310/216.ccls. and @pd<20010927 and generator | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:09 |
| - | 14 | 310/179.ccls. and @pd<20010927 and generator | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:09 |
| - | 131 | 310/179.ccls. and @pd<20010927 and generator | USPAT; US-PGPUB | 2003/08/19 22:10 |
| - | 4 | H02K001/34.ipc. | USPAT; US-PGPUB | 2003/08/19 22:11 |
| - | 0 | H02K001/34.ipc. and rotor | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:11 |
| - | 3 | H02K001/00.ipc. and rotor | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:11 |
| - | 3 | H02K001/00.ipc. and rotor | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:11 |
| - | 551 | H02K001/00.ipc. | USPAT; US-PGPUB | 2003/08/19 22:11 |
| - | 449 | H02K001/00.ipc. and rotor | USPAT; US-PGPUB | 2003/08/19 22:11 |
| - | 178 | H02K001/00.ipc. and rotor and generator | USPAT; US-PGPUB | 2003/08/19 22:11 |
| - | 13 | H02K003/34.ipc. and rotor and generator | USPAT; US-PGPUB | 2003/08/19 22:12 |
| - | 57 | H02K003/34.ipc. and rotor and generator | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:22 |
| - | 1 | rotr and (wedge or slot or opening) | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:22 |
| - | 19285 | rotor and (wedge or slot or opening) | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:23 |
| - | 984 | 310/\$.ccls. and rotor and (wedge or slot or opening) | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:23 |
| - | 91 | 310/\$.ccls. and rotor and (wedge or slot or opening) and generator | EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 22:23 |
| - | 2109 | 310/\$.ccls. and rotor and (wedge or slot or opening) and generator | USPAT; US-PGPUB | 2003/08/19 22:24 |
| - | 1585 | 310/\$.ccls. and rotor and (wedge or slot or opening) and generator and @pd<20010927 | USPAT; US-PGPUB | 2003/08/19 22:24 |
| - | 390 | 310/\$.ccls. and rotor and (wedge or slot or opening) and generator and @pd<20010927 and hollow | USPAT; US-PGPUB | 2003/08/20 15:35 |